


Choosing a system

To choose the right system, you need to know the following:

INSTALLATION PLACE



OPENING SYSTEM



DOOR WEIGHT



To calculate the weight of the door, use the following values:

- 1m² laminated chipboard with thickness of 18mm weighs approx. 13kg, and
- 1m² glass with thickness of 1mm weighs approx. 2.6kg

DOOR THICKNESS



NUMBER OF DOOR LEAVES



All offered systems are summarized in the table below. Click a picture to go to the page describing the selected category/system.

WARDROBE DOORS

APPLICATIONS: wardrobes, cabinets, overhead storage, closets

| 9 kg | <u>Apis</u> <u>from 16 mm</u> | |
|-------|---|--|
| 12 kg | <u>Tiwaz</u> <u>from 16 mm</u> | |
| 14 kg | | <u>Apollo</u> <u>18-35 mm</u> |
| 25 kg | <u>Herkules Plus</u> <u>16-45 mm</u> | |
| 40 kg | <u>Herkules Plus</u> <u>16-45 mm</u> | |
| 45 kg | <u>Horus</u> <u>16-40 mm</u> | |
| 50 kg | | <u>Sara</u> <u>18 mm</u> |
| 70 kg | <u>Ares2</u> <u>from 16 mm</u> | |
| 70 kg | | <u>Ares3</u> <u>18 mm</u> |

PASSAGE DOORS

APPLICATIONS: passage doors for rooms, bathrooms, closets, kitchens, etc., room partitions

| | | |
|--|--|--|
| | | |
|--|--|--|

| | | |
|--------|---|--|
| 14 kg | | Apollo 18-35 mm |
| 25 kg | Herkules Plus 16-45 mm | |
| 30 kg | Jupiter from 16 mm | |
| 40 kg | Herkules Plus 16-45 mm | |
| 45 kg | Saturn from 16 mm | |
| 60 kg | Herkules 60 from 16 mm | |
| 60 kg | | Hermes 25-40 mm |
| 60 kg | | Saf Power 25-40 mm |
| 80 kg | | Atena from 22 mm |
| 100 kg | | Herkules Glass 8-10-12 mm |
| 120 kg | | Herkules 120 from 22 mm |

INDUSTRIAL GATES, HEAVY PASSAGE DOORS

APPLICATIONS: sliding gates and industrial doors
inside and outside of buildings

| | | |
|-------|-----------------------------|--|
| | | |
| 20 kg | sportub 500 | |

| | | |
|---------|--|--|
| 38 kg | sportub 500 | |
| 40 kg | sportub 600 | |
| 75 kg | sportub 500 / sportub 600 | |
| 80 kg | sportub 3530 | |
| 90 kg | | hercule 9010 |
| 150 kg | sportub 500 / sportub 600 sportub 5040 | |
| 180 kg | | hercule 9030 |
| 200 kg | brama po łuku EN | |
| 300 kg | sportub 600 | |
| 400 kg | sportub 6255 | stainless steel hercule 9040 |
| 900 kg | | hercule 9050 |
| 2000 kg | sportub 8570 | hercule 9060 |
| | | hercule 9070 |